# SILVERLINK 600



BM3W - Lincat Silverlink 600 Electric Counter-top Bain Marie - Wet Heat -Gastronorms - Base only -W 300 mm - 1.0 kW The Silverlink 600 Electric Wet Heat Bain Marie safely holds sauces, soups, gravy and precooked foods for up to two hours at the ideal serving temperature

- 🔗 Wet heat bain marie
- ldeal for holding foods for up to 2 hours at serving temperature
- Base unit only supplied empty no gastronorms included
- This wet unit can also be used as a dry bain marie

Plug and play for an easy installation

- Perfect for safely holding sauces, gravy & precooked foods
- Adjustable temperature control

## **Specifications**

Summary		Power and Performance	
Brand	Lincat	Total Power kW	1.00
Range	Silverlink 600	IP Rating	IP33
Power Type	Electric	Temperature Control	Mechanical
Unit Type	Counter-top		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105100362		
Key Specifications		Capacity	
Drain Location	Front-mounted	Gastronorm Capacity	3 × GN1/4
Pot Type	Gastronorm		
Type of Heat	Wet		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	290	Requires Installation	No
Unit Width (External) mm	300	Requires Electrical Supply	Yes
Unit Depth (External) mm	600	UK 3 Pin Plug	Yes
Net Weight Kg	9.2	Requires Hardwiring	No
		Electrical Supply Rating Watts	1,000
		Single Phase Amps	4.3
		Single Phase Voltage	230

## Shipping

Packed Weight Kg	10.12
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	40


Available Accessories		
CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm	
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm	
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW	

# lincat

# SILVERLINK 600

Available Accessories		
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW	
SLS3	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm	

## **Technical Picture**





# **SILVERLINK 600**

# Lincat fift

### Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



# Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

### **Export Customers**

Tel: +44 1522 875536

Email: export@lincat.co.uk

### **Opening Hours**

Monday – Friday: 8.30am – 5pm