



CIBOPLUS/G - Lincat CiBO+ High Speed Oven -Green

CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency. Cooking in seconds, not minutes without compromise on the quality of food delivered.

- CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency.
- TurboAir distributes high-speed airflow in a cylindrical pattern over the food for fast even colouration.
- Adjustable temperature control, rapid heat up, and direct cooking on the toughened neo ceram ContactBase delivers perfect base colouration and crispiness - there are no soggy bottoms with CiBO+!
- A rear launched microwave with a stirrer brings speed to the cooking process.
- Achieve the same high-quality results for every order. Simply press any one of the 40 menu items on the QPad touch screen and the oven will do the rest.

- Easily customise the position of menu items or recipe settings to suit your business with Touch & Change. Just touch what you want to change.
- 395mm x 665mm compact footprint with a generously sized oven. CiBO+ can fit anywhere yet still deliver a 12* pizza
- No installation required plug- in and cook.
- Utilise non-traditional spaces with ventless technology.
- Antimicrobial protection reduces the spread of viruses on touchpoints.

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	3
Range	CiBO+	Temperature Range °C	30-280
Series	CiBO+	IP Rating	IP23
Power Type	Electric	Cooking Area (Width x Depth) mm	340 × 340
Unit Type	Counter-top	Temperature Control	Electronic
Available in UK Only	No	Oven Rating kW	2.7
UK Warranty	2 Years Parts and Labour Warranty	Microwave Power Watts	1,000
Export Warranty	Contact your local dealer		
GTIN	5056105123576		

Export Warranty	Contact your local dealer			
GTIN	5056105123576			
Key Specifications		Capacity		
Heated Base	Yes	Gastronorm Capacity	GN2/3	
		Pizza Capacity	1 x 12"	
		Capacity Litres	23	
Weights and Dimensions		Supply Connections		
Weights and Dimensions		Supply Connections		
Unit Height (External) mm	640	Supply Connections Requires Installation	No	
-	640 395		No Yes	
Unit Height (External) mm		Requires Installation		
Unit Height (External) mm Unit Width (External) mm	395	Requires Installation Requires Electrical Supply	Yes	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm	395 728	Requires Installation Requires Electrical Supply UK 3 Pin Plug	Yes Yes	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Height (Internal) mm	395 728 195	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring	Yes Yes No	





Shipping

Packed Weight Kg65Packed Height cm87.5Packed Width cm50Packed Depth cm84

Available Accessories

 CIBO/ET
 Multi-tray for CiBO Ovens

 CIBO/TT
 Teflon Tray for CiBO Ovens

 LT02
 Paddle for CiBO+ Ovens

 LTH01
 Magnetic Paddle Hanger for CiBO+ Ovens

 NSBT23
 Non-stick Baking Tray for CiBO+ Ovens

OC01 CiBO+ Sparkle Oven Cleaner
OS01 CiBO+ Protect Oven Shield
SH136 Wire Rack for Cibo Ovens


SK05 Moveable Stacking Stand, with front lock castors for CiBO+ Ovens


TFS05 Teflon Sheet for Cibo Ovens [300mm x 300mm]


Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am - 5pm