

Safety Data Sheet According to UK REACH

EP060 AWESOME PATH & PATIO CLEANER 5 LITRE

Printing:	09/11/2022 Date of compilation: 30/09/2022 Version: 1
SEC1	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: AWESOME Path & Patio Cleaner 5 Litre
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Bleach, not suitable for the disinfection of drinking water
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	Buzz Supplies Ltd
	Unit F, Woodside Ind. Estate
	Dunmow Road, Bishop's Stortford Hertfordshire, CM23 5RG
	01279 876 500
	sales@buzzsupplies.co.uk
1.4	Emergency telephone number: NHS Direct 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

GB CLP Regulation:

Classification of this product has been carried out in accordance with GB CLP Regulation.

Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411 Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1: Skin corrosion, Category 1, H314

2.2 Label elements:

GB CLP Regulation:

Danger



Hazard statements:

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after use.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P501: Dispose of the contents and/or its container using the separate collection system in your municipality.

Supplementary information:

EUH206: Warning! Do not use together with other products. May release dangerous gases (chlorine).

Substances that contribute to the classification

sodium hypochlorite, solution Cl active; sodium hydroxide

Labelling for contents:

Component	Concentration interval
Chlorine-based bleaching agents	% (w/w) < 5



Printing: 09/11/2022 Date of compilation: 30/09/2022 Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

Component	Concentration interval
Amphoteric surfactants	% (w/w) < 5
Anionic surfactants	% (w/w) < 5

Preservation agents: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of chlorine bleach compounds, sodium and tensoactives

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	7681-52-9	sodium hypochlorite, solution Cl active Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; EUH031 - Danger	3 - <5 %
CAS:	1310-73-2	sodium hydroxide Skin Corr. 1A: H314 - Danger	0.5 - <1 %
CAS:	308062-28-4	Amines, C12-14 -alkyldimethyl , N-Oxides Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315 -	0.5 - <1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification			M-factor
sodium hypochlorite, solution Cl active		Acute	10
CAS: 7681-52-9		Chronic	1
Identification	Spec	ific concentrati	on limit
CAS: 1310-73-2	% (w/w) >=5: Skin Corr. 1A 2<= % (w/w) <5: Skin Corr. 0.5<= % (w/w) <2: Skin Irr % (w/w) >=2: Eye Dam. 1 - 0.5<= % (w/w) <2: Eye Irrii	1B - H314 it. 2 - H315 H318	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:



Printing: 09/11/2022 Date of compilation: 30/09/2022 Version: 1

SECTION 4: FIRST AID MEASURES (continued)

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:



Printing: 09/11/2022 Date of compilation: 30/09/2022 Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage Minimum Temp.: 2 °C Maximum Temp.: 35 °C Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

7.2

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification	Occupa	itional exposure limi	ts
sodium hydroxide	WEL (8h)		
CAS: 1310-73-2	WEL (15 min)	2	2 mg/m³

DNEL (Workers):

		Short e	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
sodium hypochlorite, solution Cl active	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7681-52-9	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-668-3	Inhalation	3.1 mg/m ³	3.1 mg/m ³	1.55 mg/m ³	1.55 mg/m ³
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
Amines, C12-14 -alkyldimethyl , N-Oxides	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 308062-28-4	Dermal	Non-applicable	Non-applicable	11 mg/kg	Non-applicable
EC: 931-292-6	Inhalation	Non-applicable	Non-applicable	6.2 mg/m ³	Non-applicable
DNEL (General population):					



Printing: 09/11/2022 Date of compilation: 30/09/2022 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
sodium hypochlorite, solution Cl active	Oral	Non-applicable	Non-applicable	0.26 mg/kg	Non-applicable
CAS: 7681-52-9	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-668-3	Inhalation	3.1 mg/m ³	3.1 mg/m ³	1.55 mg/m ³	1.55 mg/m ³
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
Amines, C12-14 -alkyldimethyl , N-Oxides	Oral	Non-applicable	Non-applicable	0.44 mg/kg	Non-applicable
CAS: 308062-28-4	Dermal	Non-applicable	Non-applicable	5.5 mg/kg	Non-applicable
EC: 931-292-6	Inhalation	Non-applicable	Non-applicable	1.53 mg/m ³	Non-applicable

PNEC:

Identification				
sodium hypochlorite, solution Cl active	STP	4.69 mg/L	Fresh water	0.00021 mg/L
CAS: 7681-52-9	Soil	Non-applicable	Marine water	0.000042 mg/L
EC: 231-668-3	Intermittent	0.00026 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	0.0111 g/kg	Sediment (Marine water)	Non-applicable
Amines, C12-14 -alkyldimethyl , N-Oxides	STP	24 mg/L	Fresh water	0.034 mg/L
CAS: 308062-28-4	Soil	1.02 mg/kg	Marine water	0.003 mg/L
EC: 931-292-6	Intermittent	0.034 mg/L	Sediment (Fresh water)	5.24 mg/kg
	Oral	0.0111 g/kg	Sediment (Marine water)	0.524 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+ A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E	Body protection		
	Pictogram	PPE	Remarks
		Work clothing	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.



	51.1				-	
	Pictogram	PPE			Re	emarks
		Anti-slip work s	shoes	to the product for profe	ssional/indu	oration. For periods of prolonged expos Jstrial users CE III is recommended, in EN ISO 20345:2012 y EN 13832-1:2007
F A	dditional emergency	measures				
	Emergency measure	S	Standards	Emergency meas	sure	Standards
	*		VSI Z358-1	• +		DIN 12 899
	II	ISO 3864-1:20	011, ISO 3864-4:201	1		ISO 3864-1:2011, ISO 3864-4:2011
In ac		re controls: mmunity legislation	for the protectio	Eyewash statio	is recom	
In ac spilla CTION Info	ironmental exposu age of both the produ 9: PHYSICAL AND prmation on basic p	re controls: mmunity legislation ct and its container. CHEMICAL PROI hysical and chem	for the protectio For additional in PERTIES ical properties	Eyewash statio	is recom	ISO 3864-1:2011, ISO 3864-4:2011
In ac spilla CTION Info For c	ironmental exposu accordance with the considered of both the produce 9: PHYSICAL AND prmation on basic procession of the produce of the produ	re controls: mmunity legislation ct and its container. CHEMICAL PROI hysical and chem	for the protectio For additional in PERTIES ical properties	Eyewash statio	is recom	ISO 3864-1:2011, ISO 3864-4:2011
In ac spilla CTION Info For c App	ironmental exposu age of both the produ 9: PHYSICAL AND ormation on basic p complete information earance:	re controls: mmunity legislation ct and its container. CHEMICAL PROI hysical and chem	for the protection For additional in PERTIES fical properties tasheet.	Eyewash statio	is recom	ISO 3864-1:2011, ISO 3864-4:2011
In ac spilla CTION Info For c Appe Phys	ironmental exposu coordance with the co age of both the produ 9: PHYSICAL AND prmation on basic p complete information earance: ical state at 20 °C:	re controls: mmunity legislation ct and its container. CHEMICAL PROI hysical and chem	for the protectio For additional in PERTIES tical properties tasheet.	Eyewash statio	is recom	ISO 3864-1:2011, ISO 3864-4:2011
In ac spilla CTION Info For c Appe Appe	ironmental exposu age of both the produce 9: PHYSICAL AND ormation on basic p complete information earance: ical state at 20 °C: earance:	re controls: mmunity legislation ct and its container. CHEMICAL PROI hysical and chem	o for the protection For additional in PERTIES Nical properties tasheet. Liquic Fluid	Eyewash statio	is recom	ISO 3864-1:2011, ISO 3864-4:2011
In ac spilla CTION Info For c Appe Appe Color	ironmental exposu age of both the produ 9: PHYSICAL AND ormation on basic p complete information earance: ical state at 20 °C: earance: ur:	re controls: mmunity legislation ct and its container. CHEMICAL PROI hysical and chem	for the protection For additional in PERTIES tical properties tasheet. Liquid Fluid Yellov	Eyewash statio	is recom	ISO 3864-1:2011, ISO 3864-4:2011
In ac spilla CTION For c Appe Phys Appe Color Odou	ironmental exposu age of both the produ 9: PHYSICAL AND ormation on basic p complete information earance: ical state at 20 °C: earance: ur:	re controls: mmunity legislation ct and its container. CHEMICAL PROI hysical and chem	o for the protection For additional in PERTIES iical properties tasheet. Liquid Fluid Yellov Punge	Eyewash statio	is recom	ISO 3864-1:2011, ISO 3864-4:2011

Vapour pressure at 20 °C:	2350 Pa
Vapour pressure at 50 °C:	12381.01 Pa (12.38 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	1044.3 kg/m ³
Relative density at 20 °C:	1.044
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	≥11.5 (ASTM D3838-05) (at 100 %)
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Flammability:	
Flash Point:	Non Flammable (>60 °C)
*Not relevant due to the nature of the product, not providing	g information property of its hazards.



Printing:	09/11/2022	Date of compilation: 30/09/2022	Version: 1
SECT	TION 9: PHYSIC	CAL AND CHEMICAL PROPERTIES	6 (continued)
	Flammability (so	blid, gas):	Non-applicable *
	Autoignition ten	nperature:	Non-applicable *
	Lower flammabi	ility limit:	Non-applicable *
	Upper flammabi	ility limit:	Non-applicable *
	Particle chara	cteristics:	
	Median equivale	ent diameter:	Non-applicable
9.2	Other informa	ition:	
	Information w	vith regard to physical hazard class	ses:
	Explosive prope	rties:	Non-applicable *
	Oxidising prope	rties:	Non-applicable *
	Corrosive to me	tals:	Non-applicable *
	Heat of combus	tion:	Non-applicable *
	Aerosols-total p components:	ercentage (by mass) of flammable	Non-applicable *
	Other safety o	haracteristics:	
	Surface tension	at 20 °C:	Non-applicable *
	Refraction index	c	Non-applicable *
	*Not relevant due t	to the nature of the product, not providing infor	mation property of its hazar

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	NH3, Produces toxic gases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):



09/1	1/2022Date of compilation: 30/09/2022Version: 1				
ION	11: TOXICOLOGICAL INFORMATION (continued)				
	 Acute toxicity : Based on available data, the classification criteria ar as dangerous for consumption. For more information see section 3. Corrosivity/Irritability: Corrosive product, if it is swallowed causes bu secondary effects from skin contact see section 2. Inhalation (acute effect): 				
	 Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3. Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract 				
	Contact with the skin and the eyes (acute effect):				
	 Contact with the skin: Above all, skin contact may occur as fabrics of For more information on the secondary effects see section 2. Contact with the eyes: Produces serious eye damage after contact. 		sses ca	n be destroyed, resulti	ng in burr
	CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction)				
	 Carcinogenicity: Based on available data, the classification criteria ar as hazardous for the effects mentioned. For more information see secti IARC: sodium hypochlorite, solution Cl active (3) Mutagenicity: Based on available data, the classification criteria are hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteric classified as hazardous for this effect. For more information see section Sensitizing effects: 	on 3. not met, as eria are not	it does	not contain substance	s classifie
	 Respiratory: Based on available data, the classification criteria are no hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, hazardous for this effect. For more information see section 3. Specific target organ toxicity (STOT) - single exposure: 				
	Based on available data, the classification criteria are not met, as it doe this effect. For more information see section 3. Specific target organ toxicity (STOT)-repeated exposure:	es not contai	n subs	ances classified as haz	ardous fo
	 Specific target organ toxicity (STOT)-repeated exposure: Based on a it does not contain substances classified as hazardous for this effect. Fe Skin: Based on available data, the classification criteria are not met, hazardous for this effect. For more information see section 3. Aspiration hazard: 	or more info	matior	see section 3.	
	Based on available data, the classification criteria are not met, as it doe this effect. For more information see section 3. her information:	es not contai	n subs	ances classified as haz	zardous fo
Nor	n-applicable				
	ecific toxicology information on the substances:				
•	Identification		Acut	e toxicity	Genu
sod	lium hypochlorite, solution Cl active	LD50 oral	Acut	8910 mg/kg	Rat
	5: 7681-52-9	LD50 dermal		>5000 mg/kg	
		LC50 inhalatio	n	>20 mg/L	
sod	lium hydroxide	LD50 oral		>5000 mg/kg	
CAS	5: 1310-73-2	LD50 dermal		>5000 mg/kg	
		LC50 inhalatio	n	>5 mg/L	
Am	ines, C12-14 -alkyldimethyl , N-Oxides	LD50 oral		1064 mg/kg	Rat
CAS	5: 308062-28-4	LD50 dermal		>5000 mg/kg	
		LC50 inhalatio	n	Non-applicable	
Αсι	ute Toxicity Estimate (ATE mix):				
	ATE mix			Ingredient(s) of unknown	toxicity
Ora			Non-ap		
Ora			non-ap	pilcable	



Safety Data Sheet According to UK REACH

EP060 AWESOME PATH & PATIO CLEANER 5 LITRE

Printing: 09/11/2022	Date of compilation: 30/09/2022	Version: 1	
SECTION 11: TOXIC	COLOGICAL INFORMATION (contin	ued)	

Dermal	>5000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
sodium hypochlorite, solution Cl active	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 7681-52-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
sodium hydroxide	LC50	189 mg/L (48 h)	Leuciscus idus	Fish
CAS: 1310-73-2	EC50	33 mg/L	Crangon crangon	Crustacean
	EC50	Non-applicable		
Amines, C12-14 -alkyldimethyl , N-Oxides	LC50	3.5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 308062-28-4	EC50	10.4 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0.3 mg/L (72 h)	Selenastrum capricornutum	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
Amines, C12-14 -alkyldimethyl , N-Oxides	NOEC	0.495 mg/L	Pimephales promelas	Fish
CAS: 308062-28-4	NOEC	0.7 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degr	adability	Biodegradab	ility
Amines, C12-14 -alkyldimethyl , N-Oxides	BOD5	Non-applicable	Concentration	73 mg/L
CAS: 308062-28-4	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Identification	Absorption/desorption		Volati	lity
Amines, C12-14 -alkyldimethyl , N-Oxides	Кос	307	Henry	4E-9 Pa·m ³ /mol
CAS: 308062-28-4	Conclusion	Very High	Dry soil	No
	Surface tension	Non-applicable	Moist soil	No

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class		
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous		
Type of waste:				
IP8 Corrosive, HP14 Ecotoxic				

Waste management (disposal and evaluation):



Printing: 09/11/2022

Safety Data Sheet According to UK REACH

EP060 AWESOME PATH & PATIO CLEANER 5 LITRE

Version: 1

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations

Date of compilation: 30/09/2022

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Regulations re	lated to	waste management:	
In accordance w	ith Anne:	x II of UK REACH the provisions r	elated to waste management are stated:
UK legislation: T	he Waste	e Regulations 2011.	
ION 14: TRAN	SPORT.	INFORMATION	
Transport of	dangero	us goods by land:	
With regard to	ADR 202	1 and RID 2021:	
AV	14.1	UN number:	UN1791
		UN proper shipping name:	HYPOCHLORITE SOLUTION
	14.3	Transport hazard class(es):	8
		Labels:	8
		Packing group:	III
		Environmental hazards:	Yes
	14.6	Special precautions for user	
		Tunnel restriction code:	E
		Physico-Chemical properties:	see section 9
		Limited quantities:	5 L
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of	dangero	us goods by sea:	
With regard to	IMDG 40	-20:	
Ū.		UN number:	UN1791
^		UN proper shipping name:	HYPOCHLORITE SOLUTION
W W		Transport hazard class(es):	8
	>	Labels:	8
\sim	14.4	Packing group:	III
	14.5	Marine pollutant:	Yes
	14.6	Special precautions for user	
		Special regulations:	223
		EmS Codes:	F-A, S-B
		Physico-Chemical properties:	see section 9
		Limited quantities:	5 L
		Segregation group:	SGG8
	14.7	Transport in bulk according to Annex II of Marpol and	Non-applicable



Printing: 09/11/2022	Date o	of compilation: 30/09/2022	Version: 1		
SECTION 14: TRANSPORT INFORMATION (continued)					
	14.1 14.2 14.3 14.4 14.5 14.6	UN number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Physico-Chemical properties: Transport in bulk according	UN1791 HYPOCHLORITE SOLUTION 8 8 III Yes see section 9 Non-applicable		
		to Annex II of Marpol and the IBC Code:			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Detergents (Amendment) (EU Exit) Regulations:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in The Detergents (Amendment) (EU Exit) Regulations. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval	
Chlorine-based bleaching agents	% (w/w) < 5	
Amphoteric surfactants	% (w/w) < 5	
Anionic surfactants	% (w/w) < 5	

Preservation agents: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

The Control of Major Accident Hazards Regulations 2015:

Section	Description	Lower-tier requirements	Upper-tier requirements
E1			200

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:



rinting: 09/11/2022	Date of compilation: 30/09/2022	Version: 1
SECTION 16: OTHE	ER INFORMATION (continued)	
This safety data 2020.	a sheet has been designed in accordance	with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations
Texts of the l	egislative phrases mentioned in sec	tion 2:
	evere skin burns and eye damage.	
	serious eye damage.	
	ic to aquatic life. aquatic life with long lasting effects.	
	egislative phrases mentioned in sec	tion 3:
		they are present merely for informative purposes and refer to the
	ponents which appear in section 3	they are present merely for informative purposes and refer to the
GB CLP Regu		
-	1302 - Harmful if swallowed.	
	1: H400 - Very toxic to aquatic life.	
Aquatic Chroni	c 1: H410 - Very toxic to aquatic life with	
	c 2: H411 - Toxic to aquatic life with long	lasting effects.
	318 - Causes serious eye damage.	doman
	H314 - Causes severe skin burns and eye H314 - Causes severe skin burns and eye	
	315 - Causes skin irritation.	, dunidge.
Classification	procedure:	
	n basis of test data	
	Iculation method	
	: Calculation method	
•	2: Calculation method	
Advice relate	-	
interpretation of	f this safety data sheet, as well as the la	isks for staff using this product and to facilitate their comprehension and bel on the product.
-	ographical sources:	
http://echa.eur		
http://eur-lex.e		
	and acronyms: agreement concerning the international	corriges of dangerous goods by road
	ional maritime dangerous goods code	carriage of daligerous goods by road
	onal Air Transport Association	
ICAO: Internati	onal Civil Aviation Organisation	
	Oxygen Demand	
BOD5: 5day bio BCF: Bioconcer	ochemical oxygen demand	
LD50: Lethal D LC50: Lethal Co		
	concentration 50	
	nolwater partition coefficient	
	oefficient of organic carbon	
UFI: unique for		
IARC: Internati	onal Agency for Research on Cancer	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.