SILVERLINK 600



GS4/P - Lincat Silverlink 600 Propane Gas Countertop Griddle - Steel Plate -W 450 mm - 5.5 kW

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Gas Griddle won't let you down.

- 12 mm thick machined steel plate providing even heat distribution and an easy to clean surface
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build
- Front mounted control for easy of use during
- Piezo ignition for easy lighting of the burners
- Flame failure device for maximum safety

Specifications

Summary **Power and Performance Brand BTU** per Hour Range Silverlink 600

Power Type Gas Gas Type Propane Gas Unit Type Counter-top Available in UK Only No

UK Warranty 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer **GTIN** 5056105104797

Total Power kW Cooking Area (Width x Depth) mm **Temperature Control**

412 x 405 Mechanical

18,766

Key Specifications

Number of Heat Zones 2 **Grill Plate Surface Type** Smooth **Grill Plate Material** Steel

Weights and Dimensions

Unit Height (External) mm 415 Unit Width (External) mm 450 Unit Depth (External) mm 650 Net Weight Kg 35.1

Supply Connections

Requires Installation Yes **Requires Electrical Supply** No **Gas Connection BSP** 1/2" Gas Consumption at full rate 0.39 Propane m³ per Hour Gas Pressure Propane mbar 25.0 Total heat input at full rate Propane 5.5 Total heat input at full rate Propane BTU per hour

16,700

Shipping

Packed Weight Kg 38.61 Packed Height cm 63.5 Packed Width cm 70 Packed Depth cm 55

Available Accessories

CH01 Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU

CH02 Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU




Available Accessories


CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm


SB4 450 GRIDDLE SPLASHB

SLS4 Lincat Silverlink 600 Free-standing Floor Stand – for units W 450 mm

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Officea rangaom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: GS4/P Page Number: 3 Print Date: 18/03/2021