SILVERLINK 600



GS4/P - Lincat Silverlink 600 Propane Gas Countertop Griddle - Steel Plate -W 450 mm - 5.5 kW Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Gas Griddle won't let you down.

- 12 mm thick machined steel plate providing even heat distribution and an easy to clean surface
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up
- Front mounted control for easy of use during cooking
- Piezo ignition for easy lighting of the burners
- Flame failure device for maximum safety

Specifications

Summary Power and Performance Brand BTU per Hour 18,766 Range Silverlink 600 **Total Power kW** 5.5 **Power Type** Cooking Area (Width x Depth) mm Gas 412 x 405 Gas Type **Temperature Control** Propane Gas Mechanical **Unit Type** Counter-top

Key Specifications

Available in UK Only

UK Warranty

GTIN

Export Warranty

 Number of Heat Zones
 2

 Grill Plate Surface Type
 Smooth

 Grill Plate Material
 Steel

Weights and Dimensions Supply Connections

2 Years Parts and Labour Warranty

Contact your local dealer

5056105104797

No

Unit Height (External) mm	415	Requires Installation	Yes
Unit Width (External) mm	450	Requires Electrical Supply	No
Unit Depth (External) mm	650	Gas Connection BSP	1/2"
Net Weight Kg	35.1	Gas Consumption at full rate Propane m³ per Hour	0.39
		Gas Pressure Propane mbar	25.0
		Total heat input at full rate Propane kW	5.5
		Total heat input at full rate Propane BTU per hour	16,700

Shipping

Packed Weight Kg	38.61
Packed Height cm	63.5
Packed Width cm	70
Packed Depth cm	55

Available Accessories

CH01	Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
CH02	Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU




Available Accessories


CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm


SB4 450 GRIDDLE SPLASHB

SLS4 Lincat Silverlink 600 Free-standing Floor Stand – for units W 450 mm

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Officed Mingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm

1 7



Product Code: GS4/P Page Number: 3 Print Date: 06/03/2023