



# LCOXL - Lincat Lynx 400 Electric Counter-top XL Convection Oven - W 670 mm - D 570 mm - 2.5 kW

Lynx 400 Series XL Convection Oven 2.5kW accommodates 4 x 1/1 gastronorms.

- Powerful fan assisted cooking for uniform heat, and consistent cooking results
- Powerful 2.5kW oven allows rapid heat up time
- Temperature range 50-250°C
- Simple dial control for easy use

- 55 minute timer enables accurate cooking times
- Accommodates 4 x 1/1 gastronorms placed directly on shelf runners
- Side opening door with double glazed glass viewing panel, for energy efficiency, and cool touch door
- Easy plug and play operation 13A plug

## **Specifications**

Door Type

**Phased Cooking** 

Shelf Timer(s) (Number)

Summary		Power and Performance	
Brand	Lincat	Total Power kW	2.5
Range	Lynx 400	Temperature Range °C	50-250
Power Type	Electric	IP Rating	IP24
Unit Type	Counter-top	Controls Position	Below
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty	Timer Range mins	45
Export Warranty	Contact your local dealer		
GTIN	5056105120162		

#### **Key Specifications**

Left Hinged

No

No

Capacity Stackable **Gastronorm Capacity** 4 x GN1/1 Feet Height/Type 20mm adjustable Shelf Spacing mm Continuous Plug-In Door Seal **Sheet Pan Capacity** Plug in - not continuous 4 x 533 x 381 mm **Capacity Litres** Removable Inner Door Glass 100.4 **Handle Type** Grab **Vented Door** Yes **Reversible Door** 

Grill Element/Mode Νo **Core Temp Probe** No Steam Injection No Fan(s) Speed

Fan(s) Type Single Direction

Number of Fan(s) **Euronorm Compatible** Νo **Sheet Pan Compatible** Yes Removeable Shelf Guides Yes **Manual Mode** Yes Programmable No **Timer Type** Mechanical Number of Shelves included 3

**Number of Shelf Positions** 

Type of Lighting Filament Bulb Construction/Finish 430 S/S cavity **GN Compatible** Yes



Weights and Dimensions		Supply Connections	
Unit Height (External) mm	605	Requires Installation	No
Unit Width (External) mm	670	Requires Electrical Supply	Yes
Unit Depth (External) mm	570	UK 3 Pin Plug	Yes
Height (Internal) mm	440	Requires Hardwiring	No
Width (Internal) mm	585	<b>Electrical Supply Rating Watts</b>	2,500
Depth (Internal) mm	390	Single Phase Amps	10.9
Shelf Dimensions Width mm	550	Single Phase Voltage	230
Shelf Dimensions Depth mm	330	USB Port	No
Net Weight Kg	49.6		
Shipping			
Packed Weight Kg	59.6		
Packed Height cm	76		
Packed Width cm	70		
Packed Depth cm	85		


# **Available Accessories**


SH141


Shelf for LCOXL ovens 553mm x 330mm

# **Technical Picture**











### **Lincat Limited**

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

### **Customer Care**

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

## **Export Customers**

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

## **Opening Hours**

Monday - Friday:

8.30am - 5pm