



## OE8114/OP - Lincat Opus 800 Electric Free-standing Single Tank Fryer with Pumped Filtration - 2 Baskets - W 400 mm - 14.0 kW

An accurate Opus 800 Twin-Tank Free Standing Electric Fryer which comes with two independent fryer tanks for greater versatility and a pumped oil filter system.

- ✓ Accurate thermostatic control up to 190°C for consistent results and safe operation
- ✓ Two stage filtration extends oil life by up to 75% and so reducing oil costs
- ✓ Oil can be filtered during or after service even whilst hot
- ✓ Hinged, lift out element, with safety interlock for easy tank access and cleaning
- ✓ Supplied with a hose and lance for easy discharge of used oil into a container

### Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	14.0
Range	Opus 800	Temperature Range °C	90-190
Power Type	Electric	IP Rating	IP24
Unit Type	Free-standing	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103004		

Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	40kg chips - 12mm [frozen], 46kg chips - 12mm [chi]
Number of Tanks	1	Capacity Litres	19.0
Gravity Filtration	No		
Pumped Filtration	Yes		
Drain Location	Through the body		

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	1070	Requires Installation	Yes
Unit Width (External) mm	400	Requires Electrical Supply	Yes
Unit Depth (External) mm	800	UK 3 Pin Plug	No
Net Weight Kg	78.5	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	14,000
		Three Phase Amps	L1=20.3; L2=20.3; L3=20.3
		Three Phase Voltage	400

Shipping	
Packed Weight Kg	86.35
Packed Height cm	122
Packed Width cm	85
Packed Depth cm	45

### Available Accessories


LK02 OPUS 350 LEG KIT

Available Accessories

OA8954

SPLASHGUARD FOR OPUS 800 ELECTRIC FRYERS

Technical Picture





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm