





OG8110/N - Lincat Opus 800 Natural Gas Freestanding Single Tank Fryer - 1 Basket - W 300 mm - 16.0 kW The accurate Opus 800 Single-Tank
Free Standing Gas Fryer comes with an
accurate thermostatic control that
goes up to 190°C, ensuring consistent
results and safe operation.

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Convenient piezo ignition

 Externally fired heating gives easy access for cleaning tanks

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	54,592
Range	Opus 800	Total Power kW	16.0
Power Type	Gas	Temperature Range °C	90-190
Gas Type	Natural Gas	Temperature Control	Mechanical
Unit Type	Free-standing	·	
Available in UK Only	No		
JK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103097		
Key Specifications		Capacity	
Number of Baskets	1	Product Output per Hour	22kg chips - 12mm [frozen], 32kg chips
Number of Tanks	1	···	12mm [chi
Gravity Filtration	No	Capacity Litres	14.0
Pumped Filtration	No		
Drain Location	Through the body		
Weights and Dimensions		Supply Connections	
Jnit Height (External) mm	1020	Requires Installation	Yes
Jnit Width (External) mm	300	Requires Electrical Supply	No
Jnit Depth (External) mm	815	Gas Connection BSP	1/2"
Net Weight Kg	70	Gas Consumption at full rate Natural m³ per Hour	1.52
		Gas Pressure Natural mbar	20.0
		Total heat input at full rate Natural kW	16.0
		Total heat input at full rate Natural BTU per hour	54,594

Available Accessories

77

122

85

Packed Weight Kg

Packed Height cm

Packed Width cm

Packed Depth cm

CH01	Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
CH02	Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU
LK02	OPUS 350 LEG KIT





Available Accessories


OA8955 SPLASHGUARD FRYERS - OPUS 800

OF1 Oil filter kit - size 1

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: 0G8110/N Page Number: 3 **Print Date:** 03/03/2023