# robot g coupe







# CUTTER-MIXER function

For all your fine and coarse mincing, blending, kneading and grinding tasks.

## **ERGONOMICS**

Lid easy to position on bowl for quick and simple use.

## **STURDINESS**

An metal and composite motor base for greater sturdiness.

## **MULTIPURPOSE**

The **R 401** has a single speed of 1500 rpm.

The **R 402** has 2 speeds. The 1500 rpm speed is reserved for the cutter function.

The R 402 V.V. has a speed range of **300 to 3500 rpm**.

# **PERFORMANCE**

4.5-litre capacity, stainless-steel bowl with handle.

## MULTIPURPOSE

Standard smooth-edged blade assembly

e.g. fine and coarse mincing, sauces, etc

#### Option:

- Coarse serrated blades for grinding and kneading tasks.
- e.g. kneading, grinding, etc
- Fine-serrated blades for chopping parsley.
- e.g. fine mincing, sauces, etc







# VEGETABLE PREPARATION function

robot@coupe

robot a coupe

## **PERFORMANCE**

A large hopper (104 cm<sup>2</sup>) for the preparation of vegetables such a as cabbage, celeriac, lettuce, tomatoes.

## **COMFORT**

Automatic restart of the machine by the pusher for greater speed and efficiency.

## MULTIPURPOSE

The R 401 has a single speed of 1500

The **R 402** has **2 speeds**. The 500/750 rpm speed is reserved for the vegetable preparation function and allows users to dice vegetables and make french fries.

## **MULTIPURPOSE**

Complete collection of 28 stainless steel discs available to satisfy all your requirements for the preparation of fruit and vegetables: slicing, julienne, ripple cutting and grating and for the R 402 and R 402 V.V. models, dicing and making french



A cylindrical hopper (Ø 58 mm) designed for long or fragile vegetables giving an outstanding quality of cut.




## **ERGONOMICS**

Removable lid and stainless-steel bowl.

## MULTIPURPOSE

The **R 402 V.V.** has a speed range of 300 to 1000 rpm: The slower speeds are for cutting fragile foodstuffs, while the higher ones allow a faster output.





# Food processors Cutters & Vegetable slicers



# The Product Advantages:

## 3 machines in 1!

 A cutter bowl, a vegetable preparation attachment and as optional extra a Cuisine Kit (coulis and citrus press function) on the same motor base.

## **Processing capacity:**

- Large hopper feed head (area: 104 cm²) for processing large vegetables such as celeriac, cabbage, lettuce.
- Cylindrical hopper (Ø 58 mm) designed for long and fragile vegetables.
- 4 litres stainless steel cutter bowl for emulsifying, grinding, chopping, kneading.

## Wide range of cut:

 Complete collection of 28 stainless steel discs to satisfy all your requirements such as slicing, julienne, ripple cutting and grating as well as dicing and making French Fries for the R 402 and R 402 V.V. models.

#### **Robust:**

- Industrial heavy duty induction motor for longer lifespan and greater reliability.
- The metal and composite motor base, stainless steel cutting bowl and stainless steel vegetable preparations bowl guarantee durability.



# **Number of covers:**

20 to 100



# **Target:**

Restaurants, Caterers.



## In brief:

Whichever model you choose, it will prove itself to be a sound investment, saving you time and money.



## **CUISINE KIT**

With this new attachment you can prepare coulis and fruit and vegetable juice to make mise en bouches, in-a-glass preparations sauces, soups, sorbets and ice cream, smoothies, jam, fruit pastes, pastilles...

## **Coulis**





Coulis for in-glass preparations



Strawberry coulis for jams



Coulis for tomato sauce



Raspberry coulis for sorbets

# Citrus-press





Grapefruit juice





Lemon Juice














ref. ref. 27087 1 mm 27051 27786 2 mm 27555 6 mm 3 mm 27086 Ripple-cut 2 mm 27621 27566 4 mm








	ref.	I	ref.		
2 x 2 mm	27599	French fries* 8 x 8 mm French fries* 10 x 10 mm			
2 x 4 mm	27080	8 x 8 mm	27116		
2 x 6 mm	27081	French fries*			
4 x 4 mm	27047	10 x 10 mm	27117		
6 x 6 mm	27610				
8 x 8 mm	27048				

\*only R 402 and R 402 V.V.

# Graters: 1.5 mm ▶ 9 mm



ref. 27588\* 1,5 mm 2 mm 27577 3 mm 27511\* 6 mm 27046 27632 9 mm Radish grater 0.7 mm 27078 Radish grater 1 mm 27079 Radish grater 1.3 mm 27130 27764 Parmesan grater Potatoes grater 27191



ref. 27113 8 x 8 x 8 mm 27114 10 x 10 x 10 mm  $12 \times 12 \times 12 \text{ mm}$ 27298

\*only R 402 and R 402 V.V.






- Asynchronous heavy duty industrial motor guarantees a longer life span and reliability
- Motor built on ball bearings for a silent running with no vibration.
- Direct drive motor:
- Extra powerful : No belt device. • No maintenance : No brushes.
- Stainless steel motor shaft.

CE Mark	Characteristics									Weight (kg)	
Mark		r base	Cutter attachment	Vegetable preparation attachment	Diced vegetables and french fries	Power (Matts) (Amp.)		•	Net	Gross	
R 401	Single-phase 1500 rpm		4.5 litres Stainless Steel	Stainless Steel Selection of 23 discs	NO	700	230 V/1 50 Hz (5.7)		13	16	
R 402	Three-phase 750/1500 rpm	Single-phase 500/1500 rpm	4.5 litres Stainless Steel	Stainless Steel Selection of 28 discs	YES	750	230 V*/ 1 50 Hz (5.4)	400 V*/3 50 Hz (1.6)	15	18	
R 402 V.V.	Single-phase 300 to 3500 rpm		4.5 litres Stainless Steel	Stainless Steel Selection of 28 discs	YES	1000	230 V/1 50 Hz (10)		15	18	

	Dimensions (in mm)									
	Α	В	С	D	Е	F	G	Н	- 1	J
R 401	204	304	226	570	320	725	530	440	190	235
R 402	224	304	226	590	320	725	530	440	190	235
R 402 V.V.	224	304	226	590	320	725	530	440	190	235

\*Other voltages available.









# robot @ coupe

HEAD OFFICE, FRENCH, EXPORT AND MARKETING DEPARTMENT: Tel.: + 33 1 43 98 88 33 - Fax: + 33 1 43 74 36 26 email: international@robot-coupe.com

Robot-Coupe Australia: Tel.: (02) 9478 0300 - Fax: (02) 9460 7972 email: orders@robotcoupe.com.au

Robot-Coupe U.K. LTD: Tel.: 020 8232 1800 - Fax: 020 8568 4966 2, Fleming Way, Isleworth, Middlesex TW7 6EU email: sales@robotcoupe.co.uk

Robot-Coupe U.S.A.: Tel.: 1-800-824-1646 - Fax: 601-898-9134 info@robotcoupeusa.com

www.robot-coupe.com

#### **DISTRIBUTOR**



## **STANDARDS:**

Machines in compliance with:

- The essential requirements of the following European directives and with the corresponding national regulations: 2006/42/EC, 2006/95/EC, 2004/108/ EC, 1935/2004/EC, 10/2011/UE, «RoHS» 2002/95/ EC, «WEEE» 2002/96/EC.
- the requirements of the European harmonized standards and with the standards specifying the hygiene and safety requirements: EN 12100-1 and 2 2004, EN 60204-1 2006, EN 12852, EN 1678- 1998, EN 60529-2000: IP 55, IP 34

