SILVERLINK 600



SLR6/P - Lincat Silverlink 600 Propane Gas Freestanding Oven Range -Legs at Rear - 4 Burners -W 600 mm - 23.8 kW Cook a variety of delicious dishes with the powerful Silverlink 600 Gas Oven Range.

- Four powerful gas burners with flame failure device for added safety
- High power gas oven
- Fully pressed and sealed hob tops for easy cleaning
- Robust, easy-to-clean vitreous enamelled cast iron pan supports
- Low level flue maximises working area and enables you to use large stock pots
- Four shelf positions with two removable shelves


incat ilverlink 600 tas rropane Gas	Power and Performance BTU per Hour Total Power kW Temperature Range °C	81,206 23.8 130-250
ilverlink 600 das tropane Gas	Total Power kW Temperature Range °C	23.8
ias Iropane Gas	Temperature Range °C	
ropane Gas	, •	130-250
·		100 200
	Temperature Control	Mechanical
ree-standing	Rating per Hob kW	4.5
lo	Oven Rating kW	5.8
Years Parts and Labour Warranty		
ontact your local dealer		
056105105176		
cound		
	Supply Connections	
	ree-standing lo Years Parts and Labour Warranty fontact your local dealer 056105105176	Rating per Hob kW Oven Rating kW Years Parts and Labour Warranty Sontact your local dealer 056105105176


Weights and Dimensions		Supply Connections	
Unit Height (External) mm	956	Requires Installation	Yes
Unit Width (External) mm	600	Requires Electrical Supply	No
Unit Depth (External) mm	600	Gas Connection BSP	1/2"
Height (Internal) mm	400	Gas Consumption at full rate Propane m³ per Hour	1.70
Width (Internal) mm	485	Gas Pressure Propane mbar	37
Depth (Internal) mm Shelf Dimensions Width mm	342 460	Total heat input at full rate Propane kW	23.8
Shelf Dimensions Depth mm	342	Total heat input at full rate Propane	81,209
Hob Dimensions mm	W590 x D500	BTU per hour	
Net Weight Kg	67.9		
Shipping			
Packed Weight Kg	74.69		
Packed Height cm	110		
Packed Width cm	81.3		
Packed Depth cm	68.5		


Available Accessories

SLR6/SB SPLASHBACK SLR6

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: SLR6/P Page Number: 3 Print Date: 06/03/2023