



## DYNAMIC PREPARATION

P/N 1500240

PLANETARY MIXERS



## Food mixer BE-40 230/50-60/1

## FLOORSTANDING UNIT WITH 40 LT./ QT. BOWL.

C models, complete with attachment drive for accessories. I models with stainless steel column.

Please note: BE-40 requires a minimum electrical supply of 16 amps.

Professional food mixer for preparing dough (bread, cake...), egg whites (soufflés, meringue...), sauces (mayonnaise...) and minced meat mixtures.

- · Powerful three-phase motor controlled by highly reliable electronic speed variator technology, which enables the mixers to be connected to a single-phase electrical mains supply.
- · 0-30 minute electronic timer and continuous operation option.
- · Acoustic alarm at end of cycle.
- · Electronic speed control.
- · Equipped with a safety guard.
- · Lever operated bowl lift.
- Double micro switch for bowl position and safety guard.
- · Safeties off indicator.
- · Reinforced waterproofing system.
- · Stainless steel legs.
- · Strong and resistant bowl.
- · Easy to maintain and repair.
- DEFAULT EQUIPMENT
- Stainless steel bowl.
- Spiral hook for heavy dough. Beater spatula for soft dough.
- Balloon whisk.

- OPTIONAL EQUIPMENT
- Attachment drive for accessories
- Stainless steel column. 20-litre/20qt. reduction equipment (bowl +
- tools).

  · Bowl transport trolley
- Base kit with wheels for ease of moving and

## **SPECIFICATIONS SHEET**

Bowl capacity: 40 I

Capacity in flour (60% water): 12 Kg

Timer (min-max): 0 ' - 30 '

Total loading: 1400 W

Attachment drive: n

Electrical supply: 230 V / 50-60 Hz / 1  $\sim$ 

Plug: --

External dimensions (WxDxH)

·Width: 586 mm ·Depth: 777 mm ·Height: 1202 mm

Net weight: 116 Kg

Noise level (1m.): 75 dB(A) Background noise: 32 dB(A)







www.sammic.com 2006/95/EC, 2004/108/EC, NSF/ANSI Standard 8.

Basarte, 1 · 20720 AZKOITIA

UNE-EN 60335-2-64:2001, UNE-EN 60335-1:1997 UNE-EN 55014-1:2002+A1:02, UNE-EN 61000-3-2:01 UNE-EN 61000-3-3:97+A1:02+C:99, UNE-EN 55014-2:98+A1:02