



# MODEL T10

## SOFT SERVE FREEZER

SINGLE FLAVOR, COUNTERTOP, GRAVITY FEED



Ideal for **medium capacity outlets** to add soft serve ice cream and frozen yogurt. Low profile design keeps operation simple and helps reduce cost of ownership.



#### FAST FREEZE DOWN

Patented high efficiency heat exchanger allows fast freeze down with low energy consumption



#### DIGITAL CONTROL AND DISPLAY

Microprocessor control provides access to system settings and additional functions. Digital interface displays critical info as system status, temperatures, dispense count, errors, etc.



Ø

#### LOW MIX INDICATOR

Light turns "ON" at low mix to alert operator to add mix

#### SELF CLOSING DISPENSING VALVE

Automatically prevents product overflow after dispense



#### DISPENSE SPEED CONTROL

Provides flexibility in dispense rate control for different applications

#### STANDBY

Maintains product temperature in both mix hopper and freezing cylinder below 4.4°C (40°F) overnight

#### SAFETY PROTECTIONS

- (၂၉)
- Low temperature and motor overload shut-off to protect in the event of cylinder freeze up
- High pressure switch to prevent compressor overheating
- Thermal overload to protect from motor overheating

### MOST **COMPACT** AND **VERSATILE** SINGLE FLAVOUR COUNTERTOP MODEL FOR SOFT SERVE ICE CREAM AND FROZEN YOGURT


# MAXIMISE YOUR PROFITS



## **MODEL T10**

### SOFT SERVE FREEZER MACHINE

BLUE ICE



#### SPECIFICATIONS

Flavours	1
Freezing Cylinders	1 x 1.7L
Mix Hoppers	1 x 8.0L
Output Capacity (80 grams)	130 serves/hr
Clearance Requirements	152mm/6" on back

WEIGHT	KG/LB (Gravity	) KG/LB (	Pump)
Net	80 / 178	NA	
Shipping	90 / 200	NA	
Volume	0.33 CBM / 11.47 CBF		
DIMENSIONS		CLUDDIN	
DIVIENSIONS	NET (MM/IN)	SHIPPII	NG (MM/IN)
Width	421 / 16.6	505 /	19.9
Depth	544 / 21.4	720 /	28.3
Height	714 / 28.1	8.1 895 / 35.2	
ELECTRICAL	MFS	MCA	POWER(KW)
110-115/60/1	20	16	1.8
220-240/50/1	13	8	1.8
208-230/60/1	20	10	1.8

#### FEATURES

CONTROL SYSTEMS	SINGLE DIGITAL
REFRIGERATED HOPPERS	$\checkmark$
TEMPERATURE DISPLAY	V
STANDBY MODE	<b>V</b>
AUTO CLOSING DISPENSING VALVES	<b>V</b>
DISPENSING SPEED CONTROL	$\checkmark$
LOW MIX INDICATOR LIGHT	<b>_</b>
LOW MIX INDICATOR ALARM	$\checkmark$
LOW TEMPERATURE PROTECTION	V
MOTOR AMPERAGE PROTECTION	<b>V</b>
HIGH PRESSURE PROTECTION	<b>V</b>
THERMAL OVERLOAD PROTECTION	<b>_</b>

#### **BLUE ICE MACHINES LTD**

Lea Road trading Estate, Lea Rd, Waltham Cross, London, Waltham Abbey EN9 1AE

020 8801 6919 info@blueicecreammachine.co.uk www.blueicecreammachine.co.uk