

WE8: Specifications

JURA Standards

Variable brewing chamber	5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S.®)	Yes
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid system	1
Monitored drip tray	Yes
Maintenance status display	Yes
Integrated rinsing, cleaning and descaling program	Yes
Adjustable water hardness	Yes
One or two cups of espresso in one brewing operation	Yes
JURA hygiene: TÜV-certified	Yes
Filter cartridge	CLARIS Pro Smart / CLARIS Smart
Zero-Energy Switch or power switch	Classic

Specialities

Number of products	12
Products	1 ristretto 2 ristretti 1 espresso 2 espressi 1 coffee 2 coffees 1 cappuccino 1 latte macchiato 1 flat white 1 portion of milk Hot water ground coffee
Hot water function	3 levels
Additional preground coffee powder	Yes
1 latte macchiato	1 min. 26 sec.

1 cappuccino	56 sec.
2 coffees	1 min.
2 espressi	45 sec.
2 ristretti	30 sec.
Hot water (200 ml / 7 oz.)	45 sec.

Advantages

Compatible with J.O.E [®]	Yes
Smart Connect compatible	Yes
Grinder type	Aroma ^{G3} grinder
Number of grinders	1
Pulse Extraction Process (P.E.P. [®])	Yes
Powder chute for ground coffee	Yes
Powder recognition for additional ground coffee variety	Yes

Settings and programming options

Programmable amount of water	Yes
Amount of water can be adjusted for each preparation	Yes
Programmable coffee strength in levels	8
Coffee strength can be adjusted for each preparation	Yes
Programmable brewing temperature	2
Amount of milk foam programmable	Yes
Hot water temperature can be programmed in levels	3
Programmable amount of hot water	Yes
Resettable day counter	Yes
Programmable switch-off time	Yes
Shows the number of preparations for each individual product	Yes
Water filter display	Yes
Integrated milk system rinsing and cleaning programme	Yes

Automatic milk rinse	Yes
Remaining time display	Yes
Design and materials	
Display	TFT color display
Height-adjustable coffee spout	65 - 111 mm
Height-adjustable cappuccino spout	107 - 153 mm
Hot-water spout	Yes
Height-adjustable hot water spout	107 - 153 mm
Cappuccino frother	Fine foam frother
Connector System®	Yes
Cup illumination	Amber
Sound design	Yes
Areas of use and recommended maximum daily output	
Recommended maximum daily output	30
Areas of use	Own usage Service provider Reseller
In figures	
Water tank capacity	3 L
Coffee grounds container (servings)	25
Numbers of bean containers	1
Capacity of bean container with aroma preservation cover	500 g
Cable length	1.1 m
Voltage	230 V ~
Current	10 amp
Frequency	50 hz
Power	1450 Watt

Accounting systems	compatible
Stand-by power	0 Watt
Weight	10 kg
Width	29.5 cm
Height	41.9 cm
Depth	44.4 cm
Article Number	15144