## **X6: Specifications**

## **JURA Standards**

JURA Standards	
Variable brewing chamber	5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S.®)	Yes
Active bean monitoring	Yes
Energy Save Mode (E.S.M. <sup>©</sup> )	Yes
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid system	1
Monitored drip tray	Yes
Maintenance status display	Yes
Integrated rinsing, cleaning and descaling program	Yes
Adjustable water hardness	Yes
One or two cups of espresso in one brewing operation	Yes
JURA hygiene: TÜV-certified	Yes
Filter cartridge	CLARIS Pro Smart & CLARIS Pro Smart maxi
Zero-Energy Switch or power switch	Classic
Swiss made	Yes
Specialities	
Number of products	12
Products	1 ristretto 2 ristretti 1 espresso 2 espressi 1 coffee 2 coffees 1 Espresso doppio Pot of coffee Hot water hot water for green tea 1 special coffee 2 special coffees

Pot of espresso-quality coffee	Yes
Hot water function	Yes
Pot of coffee (360 ml / 12 oz.)	2 min. 20 sec.
2 coffees	1 min. 3 sec.
2 espressi	48 sec.
2 ristretti	33 sec.
Hot water (200 ml / 7 oz.)	50 sec.
Advantages	
Compatible with J.O.E®	Yes
Smart Connect supplied as standard	Yes
Smart Connect compatible	Yes
Grinder type	Aroma <sup>G3</sup> grinder
Number of grinders	1
Pulse Extraction Process (P.E.P.®)	Yes
Pulse Extraction Process (P.E.P.®)  Settings and programming options	Yes
	Yes
Settings and programming options	
Settings and programming options  Programmable amount of water	Yes
Settings and programming options  Programmable amount of water  Amount of water can be adjusted for each preparation	Yes
Settings and programming options  Programmable amount of water  Amount of water can be adjusted for each preparation  Programmable coffee strength in levels	Yes Yes 10
Settings and programming options  Programmable amount of water  Amount of water can be adjusted for each preparation  Programmable coffee strength in levels  Coffee strength can be adjusted for each preparation	Yes Yes 10 Yes
Settings and programming options  Programmable amount of water  Amount of water can be adjusted for each preparation  Programmable coffee strength in levels  Coffee strength can be adjusted for each preparation  Programmable brewing temperature	Yes Yes 10 Yes
Settings and programming options  Programmable amount of water  Amount of water can be adjusted for each preparation  Programmable coffee strength in levels  Coffee strength can be adjusted for each preparation  Programmable brewing temperature  Hot water temperature can be programmed in levels	Yes Yes 10 Yes 2 3
Settings and programming options  Programmable amount of water  Amount of water can be adjusted for each preparation  Programmable coffee strength in levels  Coffee strength can be adjusted for each preparation  Programmable brewing temperature  Hot water temperature can be programmed in levels  Programmable amount of hot water	Yes Yes 10 Yes 2 3 Yes
Settings and programming options  Programmable amount of water  Amount of water can be adjusted for each preparation  Programmable coffee strength in levels  Coffee strength can be adjusted for each preparation  Programmable brewing temperature  Hot water temperature can be programmed in levels  Programmable amount of hot water  Resettable day counter	Yes Yes 10 Yes 2 3 Yes Yes
Settings and programming options  Programmable amount of water  Amount of water can be adjusted for each preparation  Programmable coffee strength in levels  Coffee strength can be adjusted for each preparation  Programmable brewing temperature  Hot water temperature can be programmed in levels  Programmable amount of hot water  Resettable day counter  Programmable switch-off time	Yes Yes 10 Yes 2 3 Yes Yes Yes

## **Design and materials**

200.3.1 4.14400.14.0	
Display	TFT color display
Height-adjustable dual spout (Milk/Coffee)	65 - 153 mm
Hot-water spout	Yes
Cup illumination	White and amber
Sound design	Yes
Areas of use and recommended maximum daily output	
Recommended maximum daily output	80
Areas of use	Catering Large offices Canteens Self-service areas Service provider Reseller
In figures	
Water tank capacity	5 L
Coffee grounds container (servings)	40
Numbers of bean containers	1
Capacity of bean container with aroma preservation cover	500 g
Bean container can be optionally extended to	1000 g
Cable length	1.2 m
Voltage	220 - 240 V ~
Current	10 amp
Frequency	50 hz
Power	1450 Watt
Permanent water connection	optional
Accounting systems	compatible
Stand-by power	< 0.5 Watt
Weight	14 kg
Width	37.3 cm

Height	47 cm
Depth	46.1 cm
Model year	2017
Article Number	15154